INFORM	ATION DISCLOSURE	ATTY. D	OCKET NO.	MAY 1 n = 3	SERIAL	NO.			
CITATION		829-620 MAY 1 0 2004 5		10/77	71,263				
		APPLICA	ANT	PADEMARKOR	<del></del>	<u> </u>			<del></del>
		SHIM	ADA et al	RADEMARK					•
(Use se	everal sheets if necessary)	FILING		<del> </del>	GROU	<del>,                                    </del>			
		Fehru	ary 4, 2004		2871				
				DOCUMENTS	2071				-
MINER			.S. PAILINI	,				FILING	DAT
IITIAL	DOCUMENT NUMBER	DATE		NAME	γ	CLASS	SUBCLASS	IF APPRO	<u> DPRI</u>
R-C1	4,431,272	2-1984		Yazawa et al.		349	113	·	
	4,451,525	5-1984		Kawazoe et al.		428	213	·	<u> </u>
	4,636,038	1-1987		Kitahara et al.		349	132		
	4,943,838	7-1990		Ukai		257	347		
	5,003,356	3-1991		Wakai et al.		257	390	<u>.</u>	
	5,045,905	9-1991		Motai et al.		257	325		
	5,072,262	12-1991	· <del></del>	Uekita et al.		257	410	<del>-</del>	
	5,177,588	1-1993		li et al.		257	640	_	
	5,229,644	7-1993		Wakai et al.		257	749		·
	5,246,782	9-1993		Kennedy et al.		428	4-21		
	5,281,546	1-1994		Possin et al.		43-8	158		
	5,287,208	2-1994		Shimoto et al.		349	123		
		<del></del>		Gemma et al.		257	324		
	5,294,820	3-1994					<del></del>		
	5,408,345	4-1995	<u>.</u>	Mitsui et al.		349	42		
	5,411,629	5-1995	<del></del>	Warfield		216	34		<del></del>
	5,477,359	12-1995		Okazaki		349	130		
	5,486,493	1-1996		Jeng		438	623		
	5,500,750	3-1996	***	Kanbe et al.		349	113	-	
	5,576,630	11-1996		Fujita		324	760		
$\forall$	5,585,951	12-1996		Noda et al.		349	122		
		FO	REIGN PAT	ENT DOCUMENTS					
								TRANS	LATI
	DOCUMENT	DATE		COUNTRY		CLASS	SUBCLASS	YES	V
	<del> 05-4865-047</del>	5-1992		EP					
R-c11	0 486 047 A2	5-1992		EP					
	0 536 898 A1	4-1993		EP			<u> </u>		
	0 589 478 A2	3-1994		EP			)		
	0 589 478 A3	3-1994		EP					
	0 616 241 A2	9-1994		EP .					
1	0 714 140 A1	5-1996	,	EP EP					
	2 311 653 A	10-1997		GB					
	63-279228 A	11-1988		JP		سر شرکت		partial	-
	63-279226 A 63-289965 A	<del></del>		JP				partial	<del> </del>
~ ~ _		11-1988   LIMENTS (1	noludina A-		)ortinant	n2000	etc )		
	DINER DUC	(	ncluding Al	uthor, Title, Date, P		payes,			
ıminer	thomac	<u>, , , , , , , , , , , , , , , , , , , </u>		Date Consider		2/02/	105		

\* Did not Received these patents.

Form PTO-FB-A820 (Also PTO-1449)

INFORMATION DISCLOSURE CITATION				10/771,263				
(Use several sheets if necessary)		FILING DATE	G	GROUP				
		February	4, 2004	871				
		U.S. F	PATENT DOCUMENTS					
XAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING		
Rej	5,591,676	1-1997	Hughes et al.	438	702	<u> </u>	<u> </u>	
-h~   -	5,600,458	2-1997	Okano et al.	349	41	<u> </u>	•	
	5,641,974	6-1997	Den Boer et al.	257	059		**	
	5,675,187	10-1997	Numata et al.	257	758			
<del>'     </del>	5,721,596	2-1998	Kochi	349	42			
	5,721,601	2-1998	Yamaji et al.	345	138			
	5,724,111	3-1998	Mizobata et al.	349	112			
	5,780,874	7-1998	Kudo	257	77			
	5,821,621	10-1998	Jeng	257	759	,		
	5,844,647	12-1998	Maruno et al.	3 49	110			
	5,847,720	12-1998	Dunand	347	1			
	5,920,084	7-1999	Gu et al.	257	59			
	5,994,157	11-1999	Aggas et al.	438	30			
	5,994,721	11-1999	Zhong et al.	257	89			
-1	6,038,008	3-2000	Kim et al.	349	138		<del></del>	
	6,100,954	8-2000	Kim et al.	349	138			
			ON PATENT DOCUMENTS					
						TRANS	LATI	
	DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	YES	N	
Rej	4-6318 A	3-1992	. JP			partial		
	4-163528 A	6-1992	JP			partial		
	4-257826 A	9-1992	JP			partial		
	5-203936 A	8-1993	JP			partial		
1	10-133165 A	5-1998	JP	-		partial		
11	4-237092 A	8-1993	JP			partial	-	
	5-142570 A	8-1993	JP			partial		
11	6-130418 A	5-1994	JP			partial		
	6-208137 A	7-1994	JP			partial		
	6-242467 A	9-1994	JP			partial		
	6-250222 A	9-1994	JP			partial		
131	7-20496 A	1-1995	JP			partial	<b> </b>	
<del>┈╏┈┈</del> ╁┈┼	7-84284 A	3-1995	JP			partial		
	7-146491 A	6-1995	JP	1		partial		
13		12-1994	JP	- 6		partial	<b></b>	
*	6-346025 A				1			
*	<del>8-348025 A</del> 8-15731 A	1-1996	JP			partial		
*	8-15731 A	1-1996	JP Iding Author, Title, Date, Perti	nent pages,	etc.)	partial		
*	8-15731 A	1-1996		nent pages,	etc.)	partial		

4 -

Form PTO-FB-A820 (Also PTO-1449)

INFORM	IATION DISCLOSURE	ÄTTY. DC	DCKET NO.	SERIAL NO.			
	CITATION	829-620		10/771,263			
		APPLICA		·	·. · · · · · · · · · · · · · · · · · ·		
// loo	envert about if accounts	SHIMADA et al					
(088	several sheets if necessary)	FILING D		GROUP			
			ary 4, 2004	2871			
EXAMINER		U.	S. PATENT DOCUMENTS			FILING	DATE
INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS		
		FOF	REIGN PATENT DOCUMENT	rs			
<i>;</i>	DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	YES	L'ATION NO
[.R.CyV	7-333634 A	12-1995	JP			partial	
	6-242433 A	9-1994	JP			partial	
	4-199029 A	7-1992	JP			partial	
13	7-56190 A	3-1995	. JP			partial	
17	1-69432 A	7-1989	JP			partial	
	5-158071 A	6-1993	JP			partial	
17	6-230422 A	8-1994	JP			partial	
	4-335617 A	11-1992	JP			partial	
	6-160902 A	6-1994	JP			partial	
11	7-209670 A	8-1995	JP			partial	
	2-24624 A	1-1990	JP			partial	
	OTHER DOC	UMENTS (ir	ncluding Author, Title, Date,	, Pertinent pages,	etc.)		<del></del>
Re	Notice of Reasons for I		ailed March 21, 2000 in corre		<del></del>	-220219	) (JP
	Patent No. 3247870)	n mailed De	acombos OC OCOO in correcto	anding ID analisatio	m No. 10.00	20210 / 1	
RC 1	Patent No. 3247870)	n maileu De	ecember 26, 2000 in correspo	onding or application	M NO. 10-22	20219 (3	F
		ailed Octobe	er 12, 2001 in corresponding J	JP application No. 1	0-220219 (.	JP Pater	it-No.
*	3247870)			· · · · · · · · · · · · · · · · · · ·			
4	Opposition Proceeding Patent No. 3247870)	s mailed Se	ptember 13, 2002 in correspond	onding JP application	on No. 10-22	20219 (J	Р
		ailed Octobe	er 23, 2001 in corresponding J	IP-application-No. 1	0-220219 (	IP Pater	it No.
* /	3247870)						
Re	Notice of Reasons for I Patent No. 3253589)	Rejection ma	ailed March 21, 2000 in corre	sponding JP applica	ation No. 10	)-220220	) (JP
	Notice of Final Rejection Patent No. 3253589)	on mailed De	ecember 26, 2000 in correspo	onding JP application	n No. 10-22	20220 (J	P
11	Decision on Appeal ma 3253589)	ailed Octobe	er 23, 2001 in corresponding J	JP application No. 1	0-220220 (.	JP Pater	it No.
*	Notice of Beasons for I		ailed March 16, 2004 in corre	sponding JP applic	ation No. 20	01-444€	)9,
2 1 1		Rejection ma	ailed March 16, 2004 in corre	sponding JP applica	ation No. 20	01-4771	6,
-0-1			0-220219				
Res	which is a divisional ap	<del></del>	translation thereof mailed Jar	nuary 4, 2002 in co	rresponding	Chinese	3
R. J. xaminer	which is a divisional ap	and English			rresponding	Chinese	9

\* Did not Receive these MPL \_5-

Form PTO-FB-A820 (Also PTO-1449)

	MATION DISCLOSURE	ATTY. L	DOCKET NO.	SER	IAL NO.		-		
	CITATION	829-620		10/	10/771,263				
	•		ANT						
		SHIM	IADA et al						
(U:	se several sheets if necessary)	FILING DATE		GROUP					
		Febru	ary 4, 2004	287	1				
			J.S. PATENT DOCUM						
KAMINER							FILING		
NITIAL T	DOCUMENT NUMBER	DATE	NAN	<u>                                     </u>	CLASS_	SUBCLASS	IF APPRO	DPRIA	
<del></del>									
				<del> </del>					
				·					
							· · · · ·	<del>_</del> _	
			<u> </u>		<del>                                     </del>				
			<del>,                                     </del>					-	
								•	
<u> </u>				<del></del>					
		·		<u> </u>	-			·	
		FC	REIGN PATENT DO	CUMENTS					
							TRANS	LATIO	
	DOCUMENT	DATE	COUN	TRY	CLASS	SUBCLASS	YES	NC	
<del></del> :		<u> </u>		<del></del>					
						<del>i                                      </del>			
						1			
				,					
	OTHER DOCU	MENTS (ir	ncluding Author, Tit	e, Date, Pertinen	t pages, e	tc.)			
	OTHER DOCUL Stanley Wolf et al., Silic		ncluding Author, Tit esing For The VLSI E				ress, Su	nset	
*	Stanley Wolf et al., Silic Beach, CA., 1986.	on Proces	ssing For The VLSI E	a, vol. 1, Process	Technolog	gy, Lattice P			
*	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al.	on Proces	ssing For The VLSI E	a, vol. 1, Process	Technolog	gy, Lattice P			
*	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al. Proceedings, Yokoham	High Den	ssing For The VLSI E sity Multilayer Substr 5-5, 1992, pp: 3255-33	ra, vol. 1, Process ate Using Benzoc	Technolog	py, Lattice Po	MC 199	2	
*	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al. Proceedings, Yokoham Willem den Boer et al.,	High Den a, Jun. 35	ssing For The VLSI E sity Multilayer Substr 5-5, 1992, pp: 3255-33 ture TFT LCD using	ra, vol. 1, Process ate Using Benzoc	Technolog	py, Lattice Po	MC 199	2	
*	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al. Proceedings, Yokoham	High Den a, Jun. 35 High Aper e, MI, US	ssing For The VLSI E sity Multilayer Substr 5-5, 1992, pp: 3255-33 ture TFT LCD using I	ra, vol. 1, Process ate Using Benzoc 0. Polymer Interlevel	Technology clobutene Dielectric,	Dielectric, I	MC 199	2	
*	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycl 96 Applications Digest,	High Den a, Jun. 35 High Aper e, MI, USA stene.TM. pp. 335-3	ssing For The VLSI E sity Multilayer Substr 5-5, 1992, pp: 3255-33 ture TFT LCD using I A. Advanced Electronic 6 (1996).	ra, vol. 1, Process ate Using Benzoc 30. Polymer Interlevel 5 Resins for High5	Technology clobutene Dielectric, -Aperture	Dielectric, I OJS Optical	Imaging	2	
* *	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycl 96 Applications Digest, Eric P. Finchem et al.,	High Den a, Jun. 35 High Aper e, MI, USA stene.TM. pp. 335-3 A Multi5-L	ssing For The VLSI E sity Multilayer Substr 3-5, 1992, pp: 3255-33 ture TFT LCD using I A. Advanced Electronic 6 (1996). evel High Density Inte	ate Using Benzocial.  Polymer Interlevel Resins for Highs	Technology clobutene Dielectric, -Aperture	Dielectric, I OJS Optical	Imaging	2	
* *	Stanley Wolf et al., Silice Beach, CA., 1986.  Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycli 96 Applications Digest, Eric P. Finchem et al., Manufacturability, TriQu	High Den a, Jun. 35 High Aper e, MI, USA stene.TM. pp. 335-3 A Multi5-L uint Semio	ssing For The VLSI E sity Multilayer Substr 5-5, 1992, pp: 3255-33 ture TFT LCD using I A. Advanced Electronic 6 (1996). evel High Density Interpretation	ra, vol. 1, Process ate Using Benzoc 30. Polymer Interlevel 3 Resins for High5 arconnect Process aton, OR, USA.	Technology clobutene Dielectric, -Aperture Designed	Dielectric, I Ola Optical AMLCD App	Imaging dications	2 S, SII	
* * *	Stanley Wolf et al., Silice Beach, CA., 1986.  Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycle 96 Applications Digest, Eric P. Finchem et al., Manufacturability, TriQu M.J. Radler et al., Benz	High Den a, Jun. 35 High Aper e, MI, USA stene.TM. pp. 335-3 A Multi5-buint Semio	ssing For The VLSI E esity Multilayer Substrations, 1992, pp: 3255-33 ture TFT LCD using land. Advanced Electronic 6 (1996). evel High Density Interpretations, lnc., Beave ene Dielectric Resins	ra, vol. 1, Process ate Using Benzocy 30. Polymer Interlevel Resins for Highs rconnect Process rton, OR, USA. for Flat Panel Dis	Technology clobutene Dielectric, -Aperture Designed	Dielectric, I OIS Optical AMLCD App ations, Proceedings	Imaging dications eedings	2 S, SIC	
* * *	Stanley Wolf et al., Silice Beach, CA., 1986.  Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycli 96 Applications Digest, Eric P. Finchem et al., Manufacturability, TriQu	High Den a, Jun. 35 High Aper e, MI, USA stene.TM. pp. 335-3 A Multi5-buint Semio	ssing For The VLSI E esity Multilayer Substrations, 1992, pp: 3255-33 ture TFT LCD using land. Advanced Electronic 6 (1996). evel High Density Interpretations, lnc., Beave ene Dielectric Resins	ra, vol. 1, Process ate Using Benzocy 30. Polymer Interlevel Resins for Highs rconnect Process rton, OR, USA. for Flat Panel Dis	Technology clobutene Dielectric, -Aperture Designed	Dielectric, I OIS Optical AMLCD App ations, Proceedings	Imaging dications eedings	2 s, SIC	
* * * *	Stanley Wolf et al., Silice Beach, CA., 1986.  Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycli 96 Applications Digest, Eric P. Finchem et al., Manufacturability, TriQu M.J. Radler et al., Benz 3.sup.rd Annual Display 65-8, 1996).  M.W. Friends, Determin	High Denda, Jun. 35 High Apere, MI, USA Stene.TM. pp. 335-3 A Multi5-Laint Semices cocyclobutes Manuface	ssing For The VLSI E sity Multilayer Substr 5-5, 1992, pp: 3255-33 ture TFT LCD using A. Advanced Electronic 6 (1996). evel High Density Internal conductor, Inc., Beave ene Dielectric Resins turing Technology Co	ra, vol. 1, Process ate Using Benzoc 30. Polymer Interlevel Resins for Highs rconnect Process rton, OR, USA. for Flat Panel Dis nference, pp: 123 Fuji Clear, Mar. 7	Technology clobutene Dielectric, -Aperture Designed play Applic 5-124, 199 1996, pp:	Dielectric, I Ola Optical AMLCD App & Develope ations, Proc 6 (Conferen	Imaging dications deedings date:	of the Feb	
* * *	Stanley Wolf et al., Silice Beach, CA., 1986.  Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycle 96 Applications Digest, Eric P. Finchem et al., Manufacturability, TriQue M.J. Radler et al., Benz 3.sup.rd Annual Display 65-8, 1996). M.W. Friends, Determine Willem den Boer, A Two	High Denda, Jun. 35 High Apere, MI, USA Stene.TM. pp. 335-3 A Multi5-buint Semice cocyclobut y Manuface nation of E	ssing For The VLSI E sity Multilayer Substr 5-5, 1992, pp: 3255-33 ture TFT LCD using A. Advanced Electronic 6 (1996). evel High Density Internal conductor, Inc., Beave ene Dielectric Resins turing Technology Co	ra, vol. 1, Process ate Using Benzoc 30. Polymer Interlevel Resins for Highs rconnect Process rton, OR, USA. for Flat Panel Dis nference, pp: 123 Fuji Clear, Mar. 7	Technology clobutene Dielectric, -Aperture Designed play Applic 5-124, 199 1996, pp:	Dielectric, I Ola Optical AMLCD App & Develope ations, Proc 6 (Conferen	Imaging dications deedings date:	of the Feb	
* * * *	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycle 96 Applications Digest, Eric P. Finchem et al., Manufacturability, TriQue M.J. Radler et al., Benz 3.sup.rd Annual Display 65-8, 1996). M.W. Friends, Determine Willem den Boer, A Twolne, Northville, Mt, US.	High Denda, Jun. 35 High Apere, MI, USA Stene.TM. pp. 335-3 A Multi5-basint Semices cocyclobutes Manufaces pation of E	ssing For The VLSI E sity Multilayer Substr 3-5, 1992, pp: 3255-33 ture TFT LCD using I A. Advanced Electronic 6 (1996). evel High Density Inter- conductor, Inc., Beave ene Dielectric Resins turing Technology Co Dielectric Constant for Pixel Circuit and Addi	ate Using Benzocy O. Polymer Interlevel Resins for Highs roonnect Process rton, OR, USA. for Flat Panel Dis nference, pp: 123 Fuji Clear, Mar. 7 essing Method for	Technology clobutene Dielectric, -Aperture Designed play Applic 5-124, 199 1996, pp: MIM LCD	Dielectric, I OIS Optical AMLCD App & Develope ations, Proc 6 (Conferent 15-2, includit s, OIS Optic	Imaging dications deedings ce date:	of the Feb	
* * * * * *	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycle 96 Applications Digest, Eric P. Finchem et al., Manufacturability, TriQue M.J. Radler et al., Benz 3.sup.rd Annual Display 65-8, 1996). M.W. Friends, Determine Willem den Boer, A Twolne, Northville, Mt, US. Tech Notes, Advanced	High Denda, Jun. 35 High Apere, MI, USA Stene.TM. pp. 335-3 A Multi5-basint Semices cocyclobutes Manufaces pation of E	ssing For The VLSI E sity Multilayer Substr 3-5, 1992, pp: 3255-33 ture TFT LCD using I A. Advanced Electronic 6 (1996). evel High Density Inter- conductor, Inc., Beave ene Dielectric Resins turing Technology Co Dielectric Constant for Pixel Circuit and Addi	ate Using Benzocy O. Polymer Interlevel Resins for Highs roonnect Process rton, OR, USA. for Flat Panel Dis nference, pp: 123 Fuji Clear, Mar. 7 essing Method for	Technology clobutene Dielectric, -Aperture Designed play Applic 5-124, 199 1996, pp: MIM LCD	Dielectric, I OIS Optical AMLCD App & Develope ations, Proc 6 (Conferent 15-2, includit s, OIS Optic	Imaging dications deedings ce date:	of the Feb	
* * * * * * * * * * * * * * * *	Stanley Wolf et al., Silic Beach, CA., 1986. Tadanori Shimoto et al., Proceedings, Yokoham Willem den Boer et al., Systems, Inc., Northvill M.J. Radler et al., Cycle 96 Applications Digest, Eric P. Finchem et al., Manufacturability, TriQue M.J. Radler et al., Benz 3.sup.rd Annual Display 65-8, 1996). M.W. Friends, Determine Willem den Boer, A Twolne, Northville, Mt, US.	High Denda, Jun. 35 High Apere, MI, USA Stene.TM. pp. 335-3 A Multi5-1 uint Semice cocyclobut y Manuface nation of E	ssing For The VLSI Esity Multilayer Substrates, 1992, pp: 3255-33 ture TFT LCD using A.  Advanced Electronic 6 (1996).  evel High Density Interpretation of the Constant for Electric Constant for Pixel Circuit and Additional Resins, Processing as Resins, Processing	ate Using Benzocy O. Polymer Interlevel Resins for Highs roonnect Process rton, OR, USA. for Flat Panel Dis nference, pp: 123 Fuji Clear, Mar. 7 essing Method for	Technology clobutene Dielectric, -Aperture Designed play Applic 5-124, 199 1996, pp: MIM LCD	Dielectric, I OIS Optical AMLCD App & Develope ations, Proc 6 (Conferent 15-2, includit s, OIS Optic	Imaging dications deedings ce date:	of the Feb	

Sheet , 1 ATTY. DOCKET NO. SERIAL NO. INFORMATION DISCLOSURE **CITATION** 10/771,263 829-620 **APPLICANT** SHIMADA et al FILING DATE GROUP (Use several sheets if necessary) 2871 February 4, 2004 U.S. PATENT DOCUMENTS FILING DATE **\*EXAMINER** SUBCLASS IF APPROPRIATE NAME · DATE **DOCUMENT NUMBER** INITIAL Yanagisawa 7-1988 162 4,759,610 Chandross et al. 11-1985 4,551,416 430 156 Endo et al. 5-1988 430 . 4,745,042 7 430 Isoda et al. 5,320,920 6-1994 **FOREIGN PATENT DOCUMENTS** TRANSLATION YES NO COUNTRY CLASS SUBCLASS **DOCUMENT** DATE EP 0 555 100 A1 8-1993 EP 0 603 866 A1 6-1994 EP 0 644 452 A2 3-1995 OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.) European Search-Report mailed June 4, 2004 in corresponding EP Application 02017257.3 03/03/ **Date Considered** \*Examiner Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application. Form PTO-FB-A820 (Also PTO-1449)

860735